



MATERIAL SAFETY DATA SHEET

Section 1 – Chemical Product / Company Information

Product Name: CAFCO® 400
ISOLATEK® TYPE 400

Effective Date: 2/28/2013

Product Use/Class: Spray-Applied Fire Resistive Materials (SFRM)

Supersedes: 12/18/2009

Manufacturer: United States Mineral Products Company
dba Isolatek International
41 Furnace Street
Stanhope, NJ 07874 USA
973-347-1200

Preparer: R&D Department

**CHEMTREC Transportation
Emergency Phone #:** 800-424-9300 / 703-527-3887 (Intl.)

Section 2 – Composition / Information On Ingredients

Chemical Name	CAS Number	Wt. % (Max.)
Portland Cement	65997-15-1	40 - 70
Vermiculite	1318-00-9	15 - 40
Calcium Carbonate	1317-65-3	10 - 30
Quartz	014808-60-7	<1

Section 3 – Hazards Identification

NFPA Ratings: Health: 1 Fire: 0 Reactivity: 0
Hazard Scale: 0 = Minima, 1 = Slight, 2 = Moderate, 3 = Serious, 4 = Severe

Emergency Overview: May cause irritation to the respiratory tract.

POTENTIAL EFFECTS OF OVEREXPOSURE

Inhalation: May cause irritation to upper respiratory system.

Skin Contact: May cause skin irritation. Prolonged exposure may cause alkali burns.

Eye Contact: May cause irritation.

Ingestion: May cause irritation or burns.

Chronic Hazards: Dust may cause inflammation of the cornea; dermatitis may occur in sensitive individuals; inhalation over long periods of high dust concentration may overload lung clearance mechanisms & make lungs more vulnerable to disease.

Medical Conditions Prone to Aggravation by Exposure: Sensitive skin; respiratory conditions

Section 4 – First Aid Measures

First Aid – Skin Contact: Wash affected area with soap and water for at least 15 minutes. If irritation persists, seek medical attention.

First Aid – Eye Contact: Flush eyes with clean water for at least 15 minutes. If irritation persists, seek medical attention.

First Aid – Inhalation: If adverse effects occur, remove to fresh air. If irritation persists, seek medical attention.

First Aid – Ingestion: If swallowed do not induce vomiting. If irritation persists, seek medical attention.

Section 5 – Fire Fighting Measures

Flash Point: Not Applicable
Lower Explosive Limit: Not Applicable
Upper Explosive Limit: Not Applicable

NFPA Rating

Health: 0
Flammability: 0
Reactivity: 0

Extinguishing Media: Not Applicable
Unusual Fire & Explosion Hazards: None
Special Firefighting Procedures: None

Section 6 – Accidental Release Measures

Steps To Be Taken If Material Is Released Or Spilled: Sweep up material and place in disposal containers. Avoid inhalation of dust. Wet material should be treated with an inert absorbent material and placed in disposal containers. Dispose of material in accordance with all federal, state, and local regulations. Use personal protective equipment as necessary.

Section 7 – Handling And Storage

Handling: Avoid inhalation of dust. Avoid skin & eye contact. Wear skin and eye protection during use. Use normal personal hygiene to remove materials, contaminants; wash clothing separately before re-use.

Storage: Keep dry. Keep containers closed when not in use. Store in a cool, dry place with adequate ventilation.

Section 8 – Exposure Controls / Personal Protection

Chemical Name	ACGIH TLV-TWA	ACGIH TLV-STEL	OSHA PEL TWA	OSHA-CEIL
Portland Cement	10 mg/m ³	---	5 mg/m ³	---
Vermiculite	---	---	---	---
Calcium Carbonate	3 mg/m ³	---	5 mg/m ³	---
Quartz	0.025 mg/m ³ respirable	---	---	---

Engineering Controls: Fans may be necessary to keep nuisance dust levels low.

Respiratory Protection: Wear a NIOSH approved disposable dust mask (N-95, or equivalent) to prevent exposure above the limits specified.

Skin Protection: Wear gloves and use hand creams to prevent dry skin. Wear long sleeve shirt and pants. Wash work clothes separately from other garments.

Eye Protection: Wear proper eye protection; at minimum, safety glasses with side shields.

Work / Hygienic Practices: Use bag opening procedures which minimize dust release. Use anti-slip surfaces on working platforms – material is slippery when wet.

Section 9 – Physical And Chemical Properties

Boiling Point (°F): N/A
Appearance & Odor: Grey powder with golden pellets & flakes; no odor.
Vapor Pressure (mm Hg): N/A
Vapor Density (air=1): N/A
Solubility in Water: Negligible
Specific Gravity (H₂O=1): >1.0
Melting Point (°F): >1800°F (981° C)
Evaporation Rate: N/A
Physical State: Solid
% Volatiles: 0
PH: 10-13

Section 10 – Stability And Reactivity

Stability: (under normal conditions):	Stable
Conditions to Avoid:	Contact with strong acids
Incompatibility (Materials to Avoid):	Strong Acids
Hazardous Decomposition Products:	CO,CO ₂
Hazardous Polymerization:	Will not occur
Conditions to Avoid:	N/A

Section 11 – Toxicological Information

<u>Ingredient</u>	<u>CAS Number</u>	<u>LD50 / LC50</u>			<u>NTP</u>		<u>OSHA</u>
-	-	No Data Available			Known	Suspect	
<u>Carcinogenicity</u>	<u>IARC</u>						
	Group 1	Group 2A	Group 2B	Known	Suspect		
Portland Cement	NO	NO	NO	NO	NO	NO	
Vermiculite	NO	NO	NO	NO	NO	NO	
Calcium Carbonate	NO	NO	NO	NO	NO	NO	
Quartz	YES	NO	NO	NO	NO	YES	

Section 12 – Ecological Information

Ecological Information: No Data Available

Section 13 – Disposal Information

Disposal Information: Non hazardous product. Dispose of waste in accordance with applicable regulations.

Section 14 – Transportation Information

Proper Shipping Name: Not Applicable
 Technical Name: Not Applicable
 Hazard Class: Non-Hazardous
 UN/NA Number: Not Applicable
 Additional Notes: None

Section 15 – Regulatory Information

CERCLA
SARA Section 313
 Contains no Section 313 substances.

STATE REGULATIONS:

	Ingredient	CAS NUMBER	State Hazardous Substance List				
			CA	MA	MN	NJ	PA
U.S. State Regulations	Portland Cement	65997-15-1	No	No	No	No	Yes
	Vermiculite	1318-00-9	n/a	n/a	n/a	n/a	n/a
	Calcium Carbonate	1317-65-3	No	No	No	No	No
	Quartz	14808-60-7	Yes	Yes	Yes	Yes	n/a

California Proposition 65
 Warning: This product contains chemicals known to the State of California to cause cancer, birth defects and other reproductive harm.

Massachusetts Hazardous Substance List

Chemical Name: Quartz CAS #: 014808-60-7 Wt. %: 0.50

INTERNATIONAL REGULATIONS AS FOLLOWS:

Chemical Inventory Status

All chemicals in this product are listed or exempt from listing in the following:

U.S	Canada		Europe		Australia	Korea
TSCA	DSL	NDSL	EINECS	ELINCS	AICS	ECL
Yes	Yes	No	Yes		Yes	Yes

CANADIAN WHMIS

This MSDS has been prepared in compliance with Controlled Product Regulations and contains all information required.

CANADIAN WHMIS CLASS: D2A

HMIS Ratings

Health: 1 Flammability: 0 Reactivity: 0 Personal Protection: e

VOLATILE ORGANIC COMPOUNDS, GR/LTR MIXED (UNTHINNED): 0

Section 16 – Other Information

Prepared By: Research Department, U.S.A.

Telephone: (973) 347-1200

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. VENDOR SPECIFICALLY DISCLAIMS ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. In no event shall the vendor be liable for special, indirect or consequential damages.

Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in this data sheet. Additionally, vendor assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes all risks in his use of the material.